

Case no.	Hospitalization time	Type of infection	Prior antibiotic treatment	<i>Myroides</i> spp.	Treatment for <i>Myroides</i>	Outcome	Concomitant infection
C1	22 days	UTI	Ceftriaxone	<i>M. odoratimimus</i>	Meropenem, tigecycline	Cured	Septic arthritis
C2	480 days	UTI	Colistine	<i>M. odoratimimus</i>	Ceftazidime	Hospitalize Palliative Care Center	Nosocomial Candida infection
C3	53 days	UTI	Tigecycline	<i>M. odoratimimus</i>	Ceftazidime, amikacin	Exitus	Concomitant infection with <i>Pseudomonas aeruginosa</i>
C4	24 days	UTI	Linezolid	<i>M. odoratimimus</i>	Meropenem	Exitus	None
C5	21 days	UTI	Moxifloxacin	<i>M. odoratimimus</i>	Meropenem	Exitus	Pneumonia
C6	80 days	UTI	Ceftriaxone	<i>M. odoratimimus</i>	Meropenem, tigecycline	Exitus	Pneumonia
C7	16 days	UTI	Moxifloxacin	<i>M. odoratimimus</i>	Tigecycline	Good clinical response	None
C8	78 days	UTI	Imipenem, cilastatin	<i>M. odoratimimus</i>	Imipenem and cilastatin	Exitus	Pneumonia
C9	250 days	UTI	Ceftriaxone	<i>M. odoratimimus</i>	Meropenem, tigecycline	Good clinical response	Infectif decubitus ulcer
C10	46 days	UTI	Imipenem, cilastatin, meropenem	<i>M. odoratimimus</i>	Imipenem, cilastatin, meropenem	Exitus	Massive left pleural effusion
C11	126 days	Septicemia	Imipenem, cilastatin	<i>M. odoratimimus</i>	Imipenem, cilastatin, tigecycline	Exitus	<i>Pseudomonas</i> bacteremia
C12	132 days	UTI	Ceftazidime and Colistine	<i>M. odoratimimus</i>	Ceftazidime, Colistine, tigecycline	Good clinical response	<i>Acinetobacter baumannii</i> bacteremia
C13	384 days	UTI	Meropenem and piperacillin-tazobactam	<i>M. odoratimimus</i>	Meropenem and piperacillin-tazobactam	Good clinical response	<i>Klebsiella pneumoniae</i> bacteremia
C14	123 days	UTI	Meropenem	<i>M. odoratimimus</i>	Ertapenem, tigecycline	Still in Level 3 intensive care unit	<i>Acinetobacter baumannii</i> in deep tracheal aspirate culture
C15	62 days	UTI	Ceftazidime and meropenem	<i>M. odoratimimus</i>	Ceftazidime and meropenem	exitus	<i>Candida parapsilosis</i> fungemia
C16	68 days	UTI	Meropenem	<i>M. odoratimimus</i>	Meropenem	exitus	None
C17	274 days	UTI	Ciprofloxacin	<i>M. odoratimimus</i>	Meropenem	Still in Level 3 intensive care unit	<i>Klebsiella pneumoniae</i> bacteremia
C18	90 days	UTI	Meropenem	<i>M. odoratimimus</i>	Tigecycline	exitus	None
C19	63 days	UTI	Imipenem	<i>M. odoratimimus</i>	Imipenem, colistine	Still in Level 3 intensive care unit	None
C20	39 days	UTI	Imipenem	<i>M. odoratimimus</i>	Imipenem, tigecycline	Still in Level 2 intensive care unit	None