

Table 1: Descriptive Statistics for Hip and Knee Osteoarthritis Patients Exposed to Decision Aids Expressing a Post-Decision Aid Preference for Surgery or Non-Surgery

	KNEE (N = 974) N (%)†	HIP (N = 377) N (%)	<i>†Represents column</i>
Age (Mean, SD)	59.2 (9.6)	58.3 (10.0)	
Gender			
Female	625 (64.2%)	205 (54.4%)	
Male	349 (35.8%)	172 (45.6%)	
Race			
Black or African American	78 (8%)	24 (6.4%)	
Asian/American Indian/ Native Hawaiian or Pacific Islander	22 (2.3%)	8 (2.1%)	
White	796 (81.7%)	317 (84.1%)	
Declined to Answer/ Unknown	10 (1%)	25 (6.6%)	
Marital Status			
Married/Life Partner	524 (53.8%)	234 (62.1%)	
Widowed	74 (7.6%)	25 (6.6%)	
Single	222 (22.8%)	80 (21.2%)	
Divorced/Separated	113 (11.6%)	28 (7.4%)	
Unknown	41 (4.2%)	10 (2.7%)	
Education			
Less than High School/ High School Graduate/ GED	241 (24.7%)	66 (17.5%)	
Some College/Graduated from College	517 (53.1%)	211 (56%)	
Postgraduate School/ Degree	195 (20%)	80 (21.2%)	
Charlson Comorbidity Index (Mean, SD)	46.7 (18.9)	44.7 (19.8)	
Pain Category			
Minimal to None	270 (27.8%)	129 (34.2%)	
Moderate	580 (59.5%)	204 (54.1%)	
High	124 (12.7%)	44 (11.7%)	
Decision-Making Stage (Post-Decision Aid)			
Still considering options	239 (24.5%)	82 (21.8%)	
Close to decision	202 (20.7%)	73 (19.4%)	
Already decided	524 (53.8%)	221 (58.6%)	
Payer			
Commercial/Private	344 (35.3%)	174 (46.2%)	
Medicaid	103 (10.6%)	29 (7.7%)	
Medicare	358 (36.8%)	140 (37.1%)	
Dual Eligible	38 (3.9%)	6 (1.6%)	
All Other (including unknown)	131 (13.4%)	28 (7.4%)	

percentages; percentages may not sum to 100 due to missingness