

TABLE 1 Inflammatory, cardiac, and coagulation laboratory findings in patients with MIS-C

	Reference Range	Initial Mean/Median (SD/IQR)	Peak Mean/Median (SD/IQR)
<b>Inflammatory</b>			
Ferritin (ng/mL)	<200	366 (214 – 1138)	--
ESR (mm/hr)	<30	49.0 (±30.5)	71.7 (±37.2)
CRP (mg/dL)	<0.5	13.5 (6.0 – 21.7)	13.5 (5.5 – 19.4)
PCT (ng/mL)	≤0.1	1.1 (0.3 – 7.9)	1.7 (0.6 – 9.2)
WBC Count (K cells/uL)	4-10	10.3 (±4.4)	17.0 (±7.4)
Hemoglobin (g/dL)	<11	11.5 (10.9 – 12.1)	--
Platelet Count (K cells/uL)	200-450	197 (130 – 262)	484 (385 – 570)
Albumin (g/dL)	3.4-5.4	3.5 (±0.6)	--
<b>Cardiac</b>			
BNP (pg/mL)	<100	79.0 (10.0 – 395.0)	118.0 (26.0 – 540.0)
Troponin (ng/mL)	<0.09	--	0.01 (0.01 – 0.07)
<b>Coagulation</b>			
aPTT (sec)	25-37	36.3 (±6.4)	48.4 (±25.1)
PT (sec)	12.1-14.6	15.6 (±2.0)	16.3 (±2.1)
INR	<2.0	1.2 (±0.2)	1.3 (±0.2)
Fibrinogen (mg/dL)	<400	515.1 (±163.0)	540.4 (±166.6)
D-Dimer (mcg/mL)	<0.5	2.5 (1.2 – 3.4)	3.1 (1.4 – 5.0)

*aPTT = activated thromboplastin time, BNP = b-type natriuretic peptide, CRP = C-reactive protein, ESR = erythrocyte sedimentation rate, INR = international normalized ratio, PCT = procalcitonin, PT = prothrombin time, WBC = white blood cell*